

Camlogic Industrial Parts Catalog

Axiparts Global Industrial RFQ Platform

Email: info@axiparts.com

Website: <https://axiparts.com>

Premium RFQ catalog for Camlogic industrial spare parts, MRO components and replacement products. Every listed product is linked directly to its live RFQ product page.

Brand: Camlogic

Listed Products in This PDF: 79

Catalog URL: <https://axiparts.com/catalogs/brands/camlogic.pdf>

| Part Number | Product Description | Live RFQ Link |
|--------------------|---|---------------------------------------|
| 991S05-8-1AGV | 991S05-8-1AGV Verschlusszapfen | Open Product RFQ Page |
| AC4 | AC4 INOX 1 one wing, stainless steel, metal propeller | Open Product RFQ Page |
| CLC38 | CLC38 LEVEL INDICATOR, 110/220V, MAKE:CAM LOGIC, SACMI CODE#04200030,SUPPLIER:SACMI, AS PER CAT#001 AF003A, TAB#8011, FIG#6, POS#002120 | Open Product RFQ Page |
| CLC381122 | CLC381122 Conductive level gauge V.110/220 - Standard length | Open Product RFQ Page |
| CLC381122/STD | CLC381122/STD (Conductive level gauge V.110/220 - Standard length) | Open Product RFQ Page |
| CLP3 | CLP3 switch | Open Product RFQ Page |
| Extension | Extension rod for PFG051122/AC1PVC1 Extension rod for guage | Open Product RFQ Page |
| GIUNTOSMD20 | GIUNTOSMD20 Connector SMD20 | Open Product RFQ Page |
| MN03 | MN03 Level gauge with rubber membrane | Open Product RFQ Page |
| MOTPF5724CC | MOTPF5724CC Original Spare Part | Open Product RFQ Page |
| PCP05500 | PCP05500 / AC2PVC3 Screw in PVC | Open Product RFQ Page |
| PFG | PFG - 86 220Volts A/C obsolete, replaced by PFG051122 / AC4PVC1 Level Gauge Switch | Open Product RFQ Page |
| PFG05. | PFG05. | Open Product RFQ Page |
| PFG051122 | PFG051122 | Open Product RFQ Page |
| PFG051122/AC1PVC1 | PFG051122/AC1PVC1 Level gauge | Open Product RFQ Page |
| PFG051122/AC4INOX1 | PFG051122/AC4INOX1 Level gauge | Open Product RFQ Page |
| PFG051122/AC4PVC1 | PFG051122/AC4PVC1 Level gauge | Open Product RFQ Page |
| PFG051122AC5INOX4 | PFG051122AC5INOX4 Level gauge with thread 2"1/2 gas V.110/220 | Open Product RFQ Page |
| PFG052448 | PFG052448 Level gauge with thread | Open Product RFQ Page |

| Part Number | Product Description | Live RFQ Link |
|--------------------------------|--|---------------------------------------|
| PFG052448/AC4PVC1 | PFG052448/AC4PVC1 Level gauge | Open Product RFQ Page |
| PFG0524CC | PFG0524CC Level gauge | Open Product RFQ Page |
| PFG0524CC/AC4PVC1. | PFG0524CC/AC4PVC1. Level gauge | Open Product RFQ Page |
| PFG-05/AT | PFG-05/AT v110/200 50/60hz | Open Product RFQ Page |
| PFG05AT1122/ | PFG05AT1122/ AC4INOX1 (Level for high temp.max 200°C with thread 2"1/2 gas V110/220 - Screw in stainless steel ø 60x100) | Open Product RFQ Page |
| PFG05AT2448 | PFG05AT2448 AC4INOX1, Level for high temp.max 200°C with thread 2"1/2 gas V.24/48 - Screw in stainless steel ø 60x100 | Open Product RFQ Page |
| PFG05AT24CC | PFG05AT24CC AC4INOX1 Level for high temp.max 200°C with thread 2"1/2 gas V24 dc - Screw in stainless steel ø 60x100 | Open Product RFQ Page |
| PFG05/AT/F | PFG05/AT/F 110/230V Level switch indicator, | Open Product RFQ Page |
| PFG05ATF1122 | PFG05ATF1122 Ind.di liv.alta temp.max 200° flangiato V.110/220 | Open Product RFQ Page |
| PFG05ATF1122/AC3INOX4 | PFG05ATF1122/AC3INOX4 Level for high temperature | Open Product RFQ Page |
| PFG05ATF1122/AC3INOX4/P05AT600 | PFG05ATF1122/AC3INOX4/P05AT600 Level for high temp.max 200°C with flange V110/220 | Open Product RFQ Page |
| PFG05ATF2448/AC3INOX4/P05AT600 | PFG05ATF2448/AC3INOX4/P05AT600 Level for high temp.max 200°C with flange V.24/48 | Open Product RFQ Page |
| PFG05ATF24CC | PFG05ATF24CC Level for high temp. | Open Product RFQ Page |
| PFG05ATF24CC/AC3INOX4/P05AT600 | PFG05ATF24CC/AC3INOX4/P05AT600 Level for high temp.max 200°C with flange V.24 dc | Open Product RFQ Page |
| PFG05ATF8D24CC/AC3INOX4 | PFG05ATF8D24CC/AC3INOX4 Sensor | Open Product RFQ Page |
| PFG05ATFHV1122 | PFG05ATFHV1122 AC3INOX4 Level for high temp.max 400°C and steam with flange | Open Product RFQ Page |
| PFG05ATFHV24CC | PFG05ATFHV24CC Level for high temp.max 400°C and steam with flange V.24 dc - Screw in stainless steel with 4 vanes ø 100x60 | Open Product RFQ Page |
| PFG05ATFHV24CC/AC3INOX4 | PFG05ATFHV24CC/AC3INOX4 Level for high temp. | Open Product RFQ Page |
| PFG05ATFS22 | PFG05ATFS22 AC3INOX4/P05AT700 Level for high temp.max 200°C with flange V.220 ac - fail-safe - Screw in stainless steel with 4 vanes ø 100x60 / Extens | Open Product RFQ Page |
| PFG-05/AT/F/V110/220 | PFG-05/AT/F/V110/220 50/60HZ CAM LOGIC +200° For dust/NC NO output 220V Level Sensor | Open Product RFQ Page |
| PFG05ATFV1122 | PFG05ATFV1122 (AC4INOX1) Level for high temp.max 200°C and steam with flange | Open Product RFQ Page |

| Part Number | Product Description | Live RFQ Link |
|----------------------------------|--|-----------------------|
| PFG05ATFV24CC/ | PFG05ATFV24CC/ AC3INOX4 Level for high temp.max 200°C and steam with flange V.24 dc - Screw in stainless steel with 4 vanes ø 100x60 | Open Product RFQ Page |
| PFG05C1122 | PFG05C1122 / AC4PVC1 Level gauge | Open Product RFQ Page |
| PFG05F1122 | PFG05F1122 (AC2PVC3/PCP05300-1000) Level gauge with flange | Open Product RFQ Page |
| PFG05F1122/AC2PVC3/PCP05300-1000 | PFG05F1122/AC2PVC3/PCP05300-1000 Level gauge with flange | Open Product RFQ Page |
| PFG05F1122/AC3INOX4 | PFG05F1122/AC3INOX4 Level gauge with flange | Open Product RFQ Page |
| PFG05F2448 | PFG05F2448 Original Spare Part | Open Product RFQ Page |
| PFG05F24CC | PFG05F24CC AC4PVC1/PCP051000 Level gauge with flange | Open Product RFQ Page |
| PFG05LD11 | PFG05LD11 (Level gauge with lamp thread 2"1/2 gas V.110 ac - double contact - Screw in PVC with 1 vane ø 60x100) | Open Product RFQ Page |
| PFG05LD22 | PFG05LD22 (Level gauge with lamp thread 2"1/2 gas V.220 ac - double contact - Screw in PVC with 1 vane ø 60x100) | Open Product RFQ Page |
| PFG05M1122 | PFG05M1122 level gauge | Open Product RFQ Page |
| PFG05M2448 | PFG05M2448 / AC3INOX4 Level gauge | Open Product RFQ Page |
| PFG05M24CC/AC4INOX1 | PFG05M24CC/AC4INOX1 Level gauge | Open Product RFQ Page |
| PFG05M24CC/AC4PVC1 | PFG05M24CC/AC4PVC1 Level gauge | Open Product RFQ Page |
| PFG05SF | PFG05SF 110-122V Original Spare Part | Open Product RFQ Page |
| PFG05X1122 | PFG05X1122 / AC4INOX1 Level in stainless steel | Open Product RFQ Page |
| PFG05XF1122/AC3INOX4 | PFG05XF1122/AC3INOX4 Level in stainless steel with flange V.110/220 | Open Product RFQ Page |
| PFG05XF24C(CAC3INOX4) | PFG05XF24C(CAC3INOX4) 110v Original Spare Part | Open Product RFQ Page |
| PFG05XM1122 | PFG05XM1122 Sensor | Open Product RFQ Page |
| PFG09M1122 | PFG09M1122 AC1INOX1/PSP09X200-1000 Level indicator Ex 1/2 D-2 G with sleeve 1"1/2 gas V.110/220 -Screw in stainless steel with 1 vane ø 50x100/Extensi | Open Product RFQ Page |
| PFG09M2448 | PFG09M2448 AC1INOX1 Level indicator Ex 1/2 D-2 G with sleeve 1"1/2 gas V.24/48 -Screw in stainless steel with 1 vane ø 50x100 | Open Product RFQ Page |
| PFG09M24CC | PFG09M24CC AC1INOX1/PSP09X200-1000 Level indicator Ex 1/2 D-2 G with sleeve 1"1/2 gas V.24 dc - Screw in stainless steel with 1 vane ø 50x100/Extensio | Open Product RFQ Page |
| PFG571122 | PFG571122 Level gauge | Open Product RFQ Page |
| PFG571122/AC1PVC1 | PFG571122/AC1PVC1 Level gauge with thread 1"1/2 gas V.110/220 - Screw in PVC with 1 vane ø 50x100 | Open Product RFQ Page |

| Part Number | Product Description | Live RFQ Link |
|----------------------------|--|---------------------------------------|
| PFG572448 | PFG572448 AC1PVC1 Screw in PVC with 1 vane ø 50x100 Level gauge with thread 1"1/2 gas V.24/48 | Open Product RFQ Page |
| PFG5724CC | PFG5724CC Original Spare Part | Open Product RFQ Page |
| PFG5724CC/AC1PVC1/PSP57300 | PFG5724CC/AC1PVC1/PSP57300 Level gauge | Open Product RFQ Page |
| PFG57M1122AC1PVC1PSP57300 | PFG57M1122AC1PVC1PSP57300 LEVEL GAUGE | Open Product RFQ Page |
| PFG57M2448 | PFG57M2448 / AC1PVC1 Level gauge | Open Product RFQ Page |
| PFG-86 | PFG-86 V.110/220 50/60Hz replaced by PFG05 Level gauge | Open Product RFQ Page |
| PFG-86/AT | PFG-86/AT -OBSOLETE (REPLAY BEY)PFG05AT as spare parts some motors complete for the above sensor | Open Product RFQ Page |
| PFG-86/AT/F-OBSOLETE, | PFG-86/AT/F-OBSOLETE, REPLACED BY PFG05ATF1122 level gaugewith flange | Open Product RFQ Page |
| PFGLP | PFGLP 4 horizontal mounting flange connection,float mechanical level indicator | Open Product RFQ Page |
| PGF86 | PGF86 110/220 50/60■ ■85 IP-65 obsolete, replaced by PFG05 rotor level sensor | Open Product RFQ Page |
| PRLF | PRLF 86 Original Spare Part | Open Product RFQ Page |
| Repair | Repair Kit For PFG05 | Open Product RFQ Page |
| SMD201122 | SMD201122 Digital rev.monitor with direct coupling V.110/220 | Open Product RFQ Page |
| SMD20STG1122 | SMD20STG1122 Digital rev.monitor with bracket and connection co | Open Product RFQ Page |
| SOFLP | SOFLP | Open Product RFQ Page |
| STAFSMD20 | STAFSMD20 Bracket for digital revolution monitor | Open Product RFQ Page |

Axiparts Offices

Germany Head Office: Lise-Meitner-Straße 13, 89081 Ulm, Germany

USA Office: 16225 Park Ten Pl #500, Houston, TX 77084, United States

Dubai Office: HDS Business Centre Tower, Cluster M, 33rd Floor, Jumeirah Lake Towers, Dubai, United Arab Emirates