

# Galvi Industrial Parts Catalog

## Axiparts Global Industrial RFQ Platform

Email: [info@axiparts.com](mailto:info@axiparts.com)

Website: <https://axiparts.com>

Premium RFQ catalog for Galvi industrial spare parts, MRO components and replacement products. Every listed product is linked directly to its live RFQ product page.

**Brand:** Galvi

**Listed Products in This PDF:** 111

**Catalog URL:** <https://axiparts.com/catalogs/brands/galvi.pdf>

Part Number	Product Description	Live RFQ Link
080/06	080/06 230/400V HYDRO GALVI electrohydraulic Thruster, V. 230/400 - Hz 50, IP.65, insulation class F, with oil type HLP32, DIN 51525 (from HYD.023/05	<a href="#">Open Product RFQ Page</a>
121/06	121/06 230/400V HYDRO GALVI electrohydraulic Thruster, V. 230/400 - Hz 50, IP.65, insulation class F, with oil type HL10, DIN 51524, part. 1 (from HYD	<a href="#">Open Product RFQ Page</a>
220/200	220/200 , 1,5 A Original Spare Part	<a href="#">Open Product RFQ Page</a>
250IGM	250IGM 150193E-DE-EN Original Spare Part	<a href="#">Open Product RFQ Page</a>
25223/11	25223/11 MOTOR	<a href="#">Open Product RFQ Page</a>
315	315 - H32 type CL-42-PS-GR Obsolete, replaced by NV.315.HYD.031/05.CL.42.SS.GR.AU.ZN spring	<a href="#">Open Product RFQ Page</a>
BRAKE	BRAKE MOTOR Power : 0,210 KW IP: 65 RPM : 2880 COS: 0,65 MASS KG: 25	<a href="#">Open Product RFQ Page</a>
COV160023001	COV160023001 Protection Cover for a.m. GALVI Shoe Brake made of steel plate thickness 2 mm bend and laser cut with slots for air blow-by, with techno-	<a href="#">Open Product RFQ Page</a>
COV200030008	COV200030008 Protection Cover for a.m. GALVI Shoe Brake made of steel plate thickness 2 mm bend and laser cut with slots for air blow-by, with techno-	<a href="#">Open Product RFQ Page</a>
COV.250.030	COV.250.030	<a href="#">Open Product RFQ Page</a>
COV250050011	COV250050011 (Protection Cover for a.m. GALVI Shoe Brake made of steel plate thickness 2 mm bend and laser cut with slots for air blow-by, with techno	<a href="#">Open Product RFQ Page</a>
COV.315.030	COV.315.030 Original Spare Part	<a href="#">Open Product RFQ Page</a>
COV.315.031	COV.315.031 Original Spare Part	<a href="#">Open Product RFQ Page</a>
COV.315.051	COV.315.051 Original Spare Part	<a href="#">Open Product RFQ Page</a>
COV315080020.	COV315080020. Protection Cover for a.m. GALVI Shoe Brake	<a href="#">Open Product RFQ Page</a>
COV.400.050	COV.400.050 Original Spare Part	<a href="#">Open Product RFQ Page</a>
COV.400.080.CL	COV.400.080.CL Original Spare Part	<a href="#">Open Product RFQ Page</a>

Part Number	Product Description	Live RFQ Link
COV400121024	COV400121024 Protection Cover	<a href="#">Open Product RFQ Page</a>
COV.500.121	COV.500.121 für NV.500.HYD.121/06.CD.42.SS.AU.ZN	<a href="#">Open Product RFQ Page</a>
COV.630.201.CL	COV.630.201.CL for NV.630.HYD.201/06. CL.42.SS.AU.ZN	<a href="#">Open Product RFQ Page</a>
DRIVING	DRIVING PIN FOR GALVI (DIN 15431 ) 200/250 mm, made of one RG1 Driving Pin	<a href="#">Open Product RFQ Page</a>
EXFCFA20BRXL	EXFCFA20BRXL it is an optional item for GALVI shoe brakes dia 200, 250, 315 mm.	<a href="#">Open Product RFQ Page</a>
GD315	GD315 2SG UND GL315 2SG Kupplungshälfte, Motorseite, komplett mit Schrauben für Kupplung "Galvi"	<a href="#">Open Product RFQ Page</a>
GD.400.2	GD.400.2 Brake Coupling	<a href="#">Open Product RFQ Page</a>
GL315	GL315 2SG Kupplungshälfte, Getriebeseite, (Bremsband) für Kupplung	<a href="#">Open Product RFQ Page</a>
GL/500.1.SG	GL/500.1.SG Original Spare Part	<a href="#">Open Product RFQ Page</a>
H25	H25 komplett mit Motor C.A. 0,12 kW ; 2720 Umdrehungen	<a href="#">Open Product RFQ Page</a>
H32.	H32. electrohydraulic Thruster without oil type HLP32	<a href="#">Open Product RFQ Page</a>
H32(TIP:	H32(TIP: H25 URETILMIYOR) GALVI electrohydraulic Thruster without oil type HLP32,DIN 51525	<a href="#">Open Product RFQ Page</a>
H50.	H50. electrohydraulic Thruster	<a href="#">Open Product RFQ Page</a>
HYD.	HYD. 121/06 Servobremse 230/400V 50Hz IP65 ISO KL. F Hub 70mm 1250N komplett mit Öl HL10	<a href="#">Open Product RFQ Page</a>
HYD.023/05	HYD.023/05 Electrohydraulic Thruster	<a href="#">Open Product RFQ Page</a>
HYD.030/05	HYD.030/05 Electrohydraulic Thruster	<a href="#">Open Product RFQ Page</a>
HYD.031/05	HYD.031/05 Spare Part For NV.315.HYD	<a href="#">Open Product RFQ Page</a>
HYD.031/06	HYD.031/06 HYDRO GALVI electrohydraulic Thruster, V. 230/400 - Hz 50, IP.65, insulation class F, with oil type HLP32, DIN 51525 (from HYD.023/05 to HY	<a href="#">Open Product RFQ Page</a>
HYD.050/06	HYD.050/06 HYDRO GALVI electrohydraulic Thruster	<a href="#">Open Product RFQ Page</a>
HYD.051/06	HYD.051/06 HYDRO GALVI electrohydraulic Thruster	<a href="#">Open Product RFQ Page</a>
HYD.080/06	HYD.080/06 HYDRO GALVI electrohydraulic Thruster	<a href="#">Open Product RFQ Page</a>
HYD.080/06.LO.SWM U	HYD.080/06.LO.SWMU HYDRO GALVI electrohydraulic Thruster	<a href="#">Open Product RFQ Page</a>
HYD.081/06	HYD.081/06 Electrohydraulic Thruster	<a href="#">Open Product RFQ Page</a>
HYD.201/06	HYD.201/06 hydraulic tappets	<a href="#">Open Product RFQ Page</a>
HYDRO	HYDRO 030/05 motor	<a href="#">Open Product RFQ Page</a>
LIV500000101	LIV500000101 Oil visual level	<a href="#">Open Product RFQ Page</a>
M56-H25	M56-H25 Original Spare Part	<a href="#">Open Product RFQ Page</a>
N250-H1-CD-42AU	N250-H1-CD-42AU BRAK DRUM FOR BRAKE ,TYPE:5M3	<a href="#">Open Product RFQ Page</a>

Part Number	Product Description	Live RFQ Link
N(NV).400.HYD050/06	N(NV).400.HYD050/06 GALVI fail-safe electrohydraulic Shoe Brake to DIN	Open Product RFQ Page
NV.160.HYD.023/05.CD.42.PS.AU.ZN	NV.160.HYD.023/05.CD.42.PS.AU.ZN brake	Open Product RFQ Page
NV.200.HYD.023/05.CD.42.PS.AU.ZN	NV.200.HYD.023/05.CD.42.PS.AU.ZN fail-safe electrohydraulic Shoe Brake	Open Product RFQ Page
NV.200.HYD.023/05.CD.42.SS.AU.ZN	NV.200.HYD.023/05.CD.42.SS.AU.ZN Code of brake without thruster hydro	Open Product RFQ Page
NV.200.HYD.023/05.TM	NV.200.HYD.023/05.TM Brake type	Open Product RFQ Page
NV200HYD030/05	NV200HYD030/05 ELECTROHYDRAULIC BRAKE	Open Product RFQ Page
NV.200.HYD.030/05.CL.42.PS.SPECIAL	NV.200.HYD.030/05.CL.42.PS.SPECIAL FRENO SPECIAL EX 200/HL-1 SENZA PULEGGIA	Open Product RFQ Page
NV.200.HYD.030/05.CL.42.SS.AU.ZN	NV.200.HYD.030/05.CL.42.SS.AU.ZN Bestum hydraulic brake (380 V 50 HZ) , Shoe brake	Open Product RFQ Page
NV.200.HYD.031/05.CD.42.SS.AU.ZN	NV.200.HYD.031/05.CD.42.SS.AU.ZN Automatic linings wear adjustment (NV) HYDRO GALVI electrohydraulic Thruster, with oil type HLP32, DIN 51525 (from HY	Open Product RFQ Page
NV250	NV250 / ED30	Open Product RFQ Page
NV.250.Eg.50/6.CD.42.PS.AU.ZN	NV.250.Eg.50/6.CD.42.PS.AU.ZN (without Eldro EMG thruster Eg.50/6) fail-safe electrohydraulic Shoe Brake	Open Product RFQ Page
NV250HYD030/05	NV250HYD030/05 ELECTROHYDRAULIC BRAKE	Open Product RFQ Page
NV.250.HYD.030/05.CD.42.SS.AU.ZN	NV.250.HYD.030/05.CD.42.SS.AU.ZN (Main features : Automatic linings wear adjustment (NV) HYDRO GALVI electrohydraulic Thruster, with oil type HLP32, D	Open Product RFQ Page
NV.250.HYD.031/05.CD.42.SS.AU.ZN	NV.250.HYD.031/05.CD.42.SS.AU.ZN (GALVI fail-safe electrohydraulic Shoe Brake to DIN Standard 15435, V. 230/400 -Hz 50, IP.65, insulation class F, typ	Open Product RFQ Page
NV.250.HYD.050/06.CL.42.PS.AU.ZN	NV.250.HYD.050/06.CL.42.PS.AU.ZN fail-safe electrohydraulic Shoe Brake	Open Product RFQ Page
NV.250.HYD.051/06.CD.42.SS.AU.ZN	NV.250.HYD.051/06.CD.42.SS.AU.ZN (GALVI fail-safe electrohydraulic Shoe Brake to DIN Standard 15435, V. 230/400 -Hz 50, IP.65, insulation class F, typ	Open Product RFQ Page
NV-315	NV-315 Brake, mechanism	Open Product RFQ Page
nv315/h.3	nv315/h.3 Brake shoe set	Open Product RFQ Page
NV.315.HYD.030/05/OL.CD.42.PS	NV.315.HYD.030/05/OL.CD.42.PS Original Spare Part	Open Product RFQ Page
NV.315.HYD.031/05.CD.42.PS.AU.ZN	NV.315.HYD.031/05.CD.42.PS.AU.ZN Original Spare Part	Open Product RFQ Page
NV.315.HYD.031/05.CL.42.SS.GR.AU.ZN	NV.315.HYD.031/05.CL.42.SS.GR.AU.ZN GALVI fail-safe electrohydraulic Shoe Brake	Open Product RFQ Page
NV.315.HYD.050/06.CD.42.PS.AU.ZN	NV.315.HYD.050/06.CD.42.PS.AU.ZN fail-safe electrohydraulic Shoe Brake	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
NV.315.HYD.051/06.CD.42.PS.AU.ZN	NV.315.HYD.051/06.CD.42.PS.AU.ZN Original Spare Part	Open Product RFQ Page
NV-315-HYD.080/06-CD-42-PS-AU-ZN-HAN	NV-315-HYD.080/06-CD-42-PS-AU-ZN-HAN OPENED RIGHT ARM OPENED RIGHT ARM	Open Product RFQ Page
NV.315.HYD.080/06.CL.42.SS.AU.ZN	NV.315.HYD.080/06.CL.42.SS.AU.ZN Fail-safe electrohydraulic Shoe Brake	Open Product RFQ Page
NV.315.HYD.081/06.CD.42.SS.AU.ZN	NV.315.HYD.081/06.CD.42.SS.AU.ZN (GALVI fail-safe electrohydraulic Shoe Brake to DIN Standard 15435, V. 230/400 -Hz 50, IP.65, insulation class F, typ	Open Product RFQ Page
NV-400	NV-400 HYD 050/06.CD.42.SS.AU.ZN Original Spare Part	Open Product RFQ Page
NV.400.HYD.080/06.CD.42.SS.AU.ZN	NV.400.HYD.080/06.CD.42.SS.AU.ZN fail-safe electrohydraulic Shoe Brake	Open Product RFQ Page
NV.400.HYD.080/06.CL.42.SS.AU.ZN.	NV.400.HYD.080/06.CL.42.SS.AU.ZN. fail-safe electrohydraulic Shoe Brake	Open Product RFQ Page
NV400.HYD.121/06.CD.42.SS.AU.ZN	NV400.HYD.121/06.CD.42.SS.AU.ZN (GALVI fail-safe electrohydraulic Shoe Brake to DIN Standard 15435, V. 230/400 -Hz 50, IP.65, insulation class F, type	Open Product RFQ Page
NV.400.PN.CD.42.PS.AU.ZN	NV.400.PN.CD.42.PS.AU.ZN GALVI fail-safe pneumatic Shoe Brake to DIN Standard 15435	Open Product RFQ Page
NV500	NV500 Kit für Spiel für Bremse komplett mit Stift; Pos. 25/26	Open Product RFQ Page
NV.500.HYD.121/06.CD.42.SS.AU.ZN	NV.500.HYD.121/06.CD.42.SS.AU.ZN ALTERNATIVE Winkelhebel für Bremse DIN	Open Product RFQ Page
NV.630.HYD.201/06.CL.42.SS.AU.ZN	NV.630.HYD.201/06.CL.42.SS.AU.ZN Original Spare Part	Open Product RFQ Page
PAD71	PAD71 Pair of Caliper Pads (one left Pad + one right Pad) with asbestosfree linings, with friction coefficient $\mu = 0,40$ , type	Open Product RFQ Page
PC61HYD030(L)	PC61HYD030(L) Brake Pad for Conveyor line 9EAF13	Open Product RFQ Page
PC61HYD030(R)	PC61HYD030(R) Brake Pad for Conveyor line 9EAF23	Open Product RFQ Page
PC61HYD050(R)	PC61HYD050(R) Brake Pad for Conveyor line 9EAD11 & 9EAD21	Open Product RFQ Page
PC61HYD080(L)	PC61HYD080(L) Brake Pad for Conveyor line 9EAC31 & 93AC32	Open Product RFQ Page
PC71HYD050R-SS-AU-SWIO-HAN	PC71HYD050R-SS-AU-SWIO-HAN Automatic linings wear adjustment HYDRO GALVI electrohydraulic Thruster, with oil type HLP32, DIN 51525 (from HYD.023/05 to	Open Product RFQ Page
PISTON	PISTON BRAKE TYPE:NV-400 MASS KG:66,2	Open Product RFQ Page
PN2	PN2 GALVI pneumatic Thruster	Open Product RFQ Page
PROTECTION	PROTECTION COVER Original Spare Part	Open Product RFQ Page
RF2.160	RF2.160 GALVI Brake Shoe with asbestosfree linings, friction coefficient $\mu = 0,42$ , type	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
RF2.200	RF2.200 GALVI Brake Shoe to DIN 15435 Standard with asbestosfree linings, friction coefficient $\mu = 0,42$ , type	Open Product RFQ Page
RF2.250	RF2.250 Brake Shoe to DIN 15435	Open Product RFQ Page
RF2.315.	RF2.315. GALVI Brake Shoe to DIN 15435 Standard with asbestosfree linings, friction coefficient $\mu = 0,42$ , type	Open Product RFQ Page
RF2.400	RF2.400 GALVI Brake Shoe to DIN 15435 Standard with asbestosfree linings	Open Product RFQ Page
RF2.500	RF2.500 Brake Shoe	Open Product RFQ Page
RF2.500.1SG	RF2.500.1SG Original Spare Part	Open Product RFQ Page
RF4.315	RF4.315 Extra-wide Brake Shoe	Open Product RFQ Page
RG1-RG3-RG4/315	RG1-RG3-RG4/315 Original Spare Part	Open Product RFQ Page
RME.125.125;	RME.125.125; GEWINDE M12 Original Spare Part	Open Product RFQ Page
RMV.080.080	RMV.080.080 (Buffer in polyurethane expanded resin with microcellular structure, with aluminium base, type)	Open Product RFQ Page
RMV.100.100	RMV.100.100 obsolete Buffer	Open Product RFQ Page
RMV.125.125	RMV.125.125 Buffer	Open Product RFQ Page
RMV.160.240	RMV.160.240 Buffer	Open Product RFQ Page
RSH	RSH 50 Baugruppe Motor + Laufrad "Galvi"	Open Product RFQ Page
RSH25-32	RSH25-32 Electric motor with impeller and seals	Open Product RFQ Page
S56B2B5	S56B2B5 pump, 0.12 KW 0.17 CV 2750 TR/MIN 220V/380V	Open Product RFQ Page
SIMPRATOLL	SIMPRATOLL 14.428.18.1 od -outside diameter: ca:175	Open Product RFQ Page
SPRING	SPRING SET Main spring set for GALVI Shoe Brake type NV.400.HYD.050/06 – 051/06 - 080/06 – 081/06	Open Product RFQ Page
TAR017320022	TAR017320022 Brake covering	Open Product RFQ Page
TR	TR 222-251 Transmitter	Open Product RFQ Page
V.	V. 265/460 - Hz 60 HYDRO GALVI electrohydraulic Thruster	Open Product RFQ Page
ZZA	ZZA 200/250 colonnina RG1+RG3+RG4 per giunti	Open Product RFQ Page

### Axiaparts Offices

Germany Head Office: Lise-Meitner-Straße 13, 89081 Ulm, Germany

USA Office: 16225 Park Ten Pl #500, Houston, TX 77084, United States

Dubai Office: HDS Business Centre Tower, Cluster M, 33rd Floor, Jumeirah Lake Towers, Dubai, United Arab Emirates