

# Gelbau Industrial Parts Catalog

## Axiparts Global Industrial RFQ Platform

Email: [info@axiparts.com](mailto:info@axiparts.com)

Website: <https://axiparts.com>

Premium RFQ catalog for Gelbau industrial spare parts, MRO components and replacement products. Every listed product is linked directly to its live RFQ product page.

**Brand:** Gelbau

**Listed Products in This PDF:** 129

**Catalog URL:** <https://axiparts.com/catalogs/brands/gelbau.pdf>

Part Number	Product Description	Live RFQ Link
0100.3084	0100.3084 GUMMISCHERE	<a href="#">Open Product RFQ Page</a>
018.10	018.10 Connector	<a href="#">Open Product RFQ Page</a>
06.26246Z2X-A	06.26246Z2X-A 0279 obsolete, replacement 462.46 Original Spare Part	<a href="#">Open Product RFQ Page</a>
130/03	130/03 STECKER	<a href="#">Open Product RFQ Page</a>
130/2-2	130/2-2 (EPDM) ABSCHLUßKAPPE	<a href="#">Open Product RFQ Page</a>
130/6	130/6 ABSCHLUßSTECKER	<a href="#">Open Product RFQ Page</a>
210.00	210.00 DIODENAUSWERTER	<a href="#">Open Product RFQ Page</a>
212.06	212.06 (Artikelcode: 3002.1206) WIDERSTANDSAUSWERTER	<a href="#">Open Product RFQ Page</a>
250.00Z,	250.00Z, Kat. 3, Artikelcode: 3002.5000Z DIODENAUSWERTER	<a href="#">Open Product RFQ Page</a>
250.06	250.06 obsolete, replaced by 3002.5006Z, 250.06Z Original Spare Part	<a href="#">Open Product RFQ Page</a>
250.06Z	250.06Z DIODENAUSWERTER	<a href="#">Open Product RFQ Page</a>
252.00Z	252.00Z WIDERSTANDSAUSWERTER	<a href="#">Open Product RFQ Page</a>
252.06Z	252.06Z (3002.5206Z) WIDERSTANDSAUSWERTER	<a href="#">Open Product RFQ Page</a>
252.46	252.46 obsolete, replacement 452.46	<a href="#">Open Product RFQ Page</a>
2.524.672	2.524.672 lift safety rolle	<a href="#">Open Product RFQ Page</a>
252.46Z	252.46Z	<a href="#">Open Product RFQ Page</a>
252.46Z2	252.46Z2 - obsolete , replaced by 3004.5246 , type 452.46	<a href="#">Open Product RFQ Page</a>
2624622	2624622 compression Sensor	<a href="#">Open Product RFQ Page</a>
262.46UZ2	262.46UZ2 - OBSOLETE (REPLACED BY 3004.6246U) relay	<a href="#">Open Product RFQ Page</a>
262.46Z2	262.46Z2 Safety Relay	<a href="#">Open Product RFQ Page</a>
262.46Z2-obsolete,	262.46Z2-obsolete, replaced by next model 3004.6246 relay	<a href="#">Open Product RFQ Page</a>
3002.25246Z	3002.25246Z relays for automation Type: 252.46Z Ser No: 01.25246Zx-A0192	<a href="#">Open Product RFQ Page</a>

Part Number	Product Description	Live RFQ Link
3002.5001Z	3002.5001Z Contactor model 250.01z Voltage: 115 V 4 Amperes	Open Product RFQ Page
3002.5006Z	3002.5006Z , 250.06Z DIODENAUSWERTER	Open Product RFQ Page
3002.5200Z	3002.5200Z WIDERSTANDSAUSWERTER 252.00Z,	Open Product RFQ Page
3002.5206Z	3002.5206Z WIDERSTANDSAUSWERTER 252.06Z	Open Product RFQ Page
3002.5246	3002.5246 WIDERSTANDSAUSWERTER 452.46	Open Product RFQ Page
3002.5246Z	3002.5246Z - OBSOLETE, REPLACED BY 3002.5246 Original Spare Part	Open Product RFQ Page
3002.5246Z2	3002.5246Z2 , TYPE 252.46Z2 - oboslete, replaced by 3004.5246 SAFETY RELEY	Open Product RFQ Page
3002.6206Z	3002.6206Z WIDERSTANDSAUSWERTER 262.06Z	Open Product RFQ Page
3002.6246Z2	3002.6246Z2 - OBSOLETE (REPLACED BY 3004.6246) relay	Open Product RFQ Page
3003.4046Z	3003.4046Z DIODENAUSWERTER 340.46Z, IP65,	Open Product RFQ Page
3004.5246	3004.5246 Type 452.46 WIDERSTANDSAUSWERTER	Open Product RFQ Page
3004.5246U	3004.5246U WIDERSTANDSAUSWERTER 452.46U	Open Product RFQ Page
3004.5248V	3004.5248V (452.48V) WIDERSTANDSAUSWERTER	Open Product RFQ Page
3004.6236U	3004.6236U (WIDERSTANDSAUSWERTER 462.46U, IP20, Kat.3, 24V DC Anschlußspannung, Funktion: STOPP mit RESET und Wechsler für 2 getrennte Schaltleistungei	Open Product RFQ Page
3004.6244	3004.6244 24 V (-15% +10% ) 50 HZ ( 40-60 )	Open Product RFQ Page
3004.6246	3004.6246 Type 462.46 WIDERSTANDSAUSWERTER	Open Product RFQ Page
3004-6426	3004-6426 [Resistance evaluator 462-46, IP20, Cat 3, 24V DC supply voltage, Function: STOP RESET and changer for 2 separate switching outputs eistenei	Open Product RFQ Page
3020.	3020. 1301B STECKER	Open Product RFQ Page
3020.1180	3020.1180 STECKER 118, 0,35m Anschlußkabel 2x0.25mm <sup>2</sup>	Open Product RFQ Page
3020.1185	3020.1185	Open Product RFQ Page
3020.1300B	3020.1300B STECKER 130, 350mm Anschlußkabel 2x0.5mm <sup>2</sup> STECKER	Open Product RFQ Page
3020.1301B	3020.1301B STECKER 130/01 1m Anschlußkabel 2x0.5mm <sup>2</sup>	Open Product RFQ Page
3020.1302	3020.1302 cable with plug	Open Product RFQ Page
3020.1302B	3020.1302B STECKER 130/02	Open Product RFQ Page
3020.1303B	3020.1303B STECKER 130/03, 3m Anschlußkabel 2x0.5mm <sup>2</sup>	Open Product RFQ Page
3020.1305B	3020.1305B cable	Open Product RFQ Page
3020.1306B	3020.1306B STECKER 130/06	Open Product RFQ Page
3020.2450B	3020.2450B (SPIRALKABEL SK 450, H05BQ-F, 2x0,75 mm <sup>2</sup> , Auszuschlaenge 2,5m, fuer Torhoehe 4,5 m, WL: 500 mm AE: 200/350 mm, Kupferlitzen unverzinnt)	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
3020.2600B	3020.2600B (SPIRALKABEL SK 550, H05BQ-F 2 x 0,75mm <sup>2</sup> , Auszugslaenge 3m, fuer Torhoehe 5,5m, WL:750mm AE: 250/350 mm, Kupferlitzen unverzinnt)	<a href="#">Open Product RFQ Page</a>
3020.4000C	3020.4000C ANSCHLUSSKABEL MIT STECKER	<a href="#">Open Product RFQ Page</a>
3020.4001C	3020.4001C ANSCHLUSSKABEL MIT STECKER	<a href="#">Open Product RFQ Page</a>
3020.4003C	3020.4003C ANSCHLUSSKABEL MIT STECKER	<a href="#">Open Product RFQ Page</a>
3031.1186	3031.1186 ABSCHLUßSTECKER 118/6 rot mit Wid.8k2	<a href="#">Open Product RFQ Page</a>
3031.1305B	3031.1305B ABSCHLUßSTECKER 130/5 schwarz mit Diode	<a href="#">Open Product RFQ Page</a>
3031.1306B.	3031.1306B.	<a href="#">Open Product RFQ Page</a>
3031.1309B	3031.1309B ABSCHLUßSTECKER 130/9 türkis Wid.15k	<a href="#">Open Product RFQ Page</a>
3045.1112	3045.1112 (C-SCHIENE 112/S, Stahl verzinkt, 24 x 10 mm, Lagerlaenge 2m)	<a href="#">Open Product RFQ Page</a>
3045.1212	3045.1212 - 25x10mm, 2m C-SCHIENE 112/A Aluminium	<a href="#">Open Product RFQ Page</a>
3045.1213	3045.1213 C-SCHIENE 112/A1 Aluminium 28x10mm, 2m	<a href="#">Open Product RFQ Page</a>
3045.1219	3045.1219 c-schiene 112/A7 Aluminium 18x8,5mm	<a href="#">Open Product RFQ Page</a>
3045.2151-2	3045.2151-2 Original Spare Part	<a href="#">Open Product RFQ Page</a>
3050.0071N	3050.0071N ECKVERBINDER	<a href="#">Open Product RFQ Page</a>
3050.1300B	3050.1300B Contect plug 130/350mm cable	<a href="#">Open Product RFQ Page</a>
3050.1302	3050.1302 ABSCHLUßKAPPE 130/2	<a href="#">Open Product RFQ Page</a>
3050.1302-2	3050.1302-2 ABSCHLUßKAPPE 130/2-2 (EPDM) mit Umlaufrand	<a href="#">Open Product RFQ Page</a>
3050.1302B	3050.1302B - alternatives 3050.1302 and 3050.1303B End cap black	<a href="#">Open Product RFQ Page</a>
3050.1302N.	3050.1302N.	<a href="#">Open Product RFQ Page</a>
3050.1302N-2	3050.1302N-2 cap	<a href="#">Open Product RFQ Page</a>
3050.1302R	3050.1302R ABSHLUSSTECKER 130/6 ROT mit Umlaufrand	<a href="#">Open Product RFQ Page</a>
3050.1303B	3050.1303B ABSCHLUßKAPPE 130/3 (EPDM) mit Umlaufrand	<a href="#">Open Product RFQ Page</a>
3050.1303N	3050.1303N ABSCHLUßKAPPE	<a href="#">Open Product RFQ Page</a>
3050.1304N	3050.1304N Cable with connector	<a href="#">Open Product RFQ Page</a>
3050.1318	3050.1318 ABSCHLUSSKAPPE 130/18(EPDM)MIT UMLAUFRAND	<a href="#">Open Product RFQ Page</a>
3050.1318-1	3050.1318-1 ABSCHLUßKAPPE 130/18-1 (EPDM) mit Umlaufrand	<a href="#">Open Product RFQ Page</a>
3050.2151	3050.2151 Original Spare Part	<a href="#">Open Product RFQ Page</a>
3050.2152	3050.2152 Original Spare Part	<a href="#">Open Product RFQ Page</a>
3057.0012	3057.0012 CYANACRYLAT-KLEBER 112, 20g inkl. Pipetten	<a href="#">Open Product RFQ Page</a>

Part Number	Product Description	Live RFQ Link
3057.0050.	3057.0050.	<a href="#">Open Product RFQ Page</a>
3090.0116	3090.0116 mit 1 x M16 Biegeschutzspirale	<a href="#">Open Product RFQ Page</a>
3090.0120	3090.0120 (STECKANSCHLUSS 120)	<a href="#">Open Product RFQ Page</a>
3090.1150	3090.1150	<a href="#">Open Product RFQ Page</a>
3099.	3099. 0001 KONFEKTIONIERUNG	<a href="#">Open Product RFQ Page</a>
3099.0002	3099.0002 ZUSCHNITT für Profil 002.10, 003.10I, 040.53	<a href="#">Open Product RFQ Page</a>
3099.0005	3099.0005 ZUSCHNITT C-Schiene	<a href="#">Open Product RFQ Page</a>
30B4.1206	30B4.1206 Type B412.06 WIDERSTANDSAUSWERTER	<a href="#">Open Product RFQ Page</a>
31000.0110I	31000.0110I safety edge	<a href="#">Open Product RFQ Page</a>
3100.001N	3100.001N Contact Duo Profile Overview (Sensor Strip)	<a href="#">Open Product RFQ Page</a>
3100.0110	3100.0110 RED CONTACT DUO PROFIL 001.10L (ROT)	<a href="#">Open Product RFQ Page</a>
3100.0110I	3100.0110I CONTACT-DUO-PROFIL 001.10I	<a href="#">Open Product RFQ Page</a>
3100.0110N	3100.0110N CONTACT-DUO-PROFIL	<a href="#">Open Product RFQ Page</a>
3100.0118	3100.0118 CONTACT-DUO-PROFIL 018.10	<a href="#">Open Product RFQ Page</a>
3100.0110I	3100.0110I	<a href="#">Open Product RFQ Page</a>
3100.0130	3100.0130 CONTACT-DUO-PROFIL 001.30	<a href="#">Open Product RFQ Page</a>
31000.1610	31000.1610 FEATURING 3045.1212	<a href="#">Open Product RFQ Page</a>
3100.0210	3100.0210 CONTACT-DUO-PROFIL 002.10 mit Dichtlippe + 1 Endleiste a 3340 mm mit 8k2 Ohm + 350 mm Kabel AOS links	<a href="#">Open Product RFQ Page</a>
3100.030I	3100.030I SWITCH	<a href="#">Open Product RFQ Page</a>
3100.0310I	3100.0310I	<a href="#">Open Product RFQ Page</a>
3100.0310I	3100.0310I contact-duo-profil 003.10I (iso)	<a href="#">Open Product RFQ Page</a>
3100.0610	3100.0610 SAFETY EDGE	<a href="#">Open Product RFQ Page</a>
3100.1111	3100.1111 Original Spare Part	<a href="#">Open Product RFQ Page</a>
3100.1610	3100.1610 (770mm) bumper	<a href="#">Open Product RFQ Page</a>
3100.1610N	3100.1610N CONTACT-DUO-PROFIL	<a href="#">Open Product RFQ Page</a>
3100.4026	3100.4026 CONTACT-OPTIMA-PROFILE	<a href="#">Open Product RFQ Page</a>
3100.4053	3100.4053 CONTACT-OPTIMA-PROFILE	<a href="#">Open Product RFQ Page</a>
3190,1150	3190,1150 SWITCHING STRIP	<a href="#">Open Product RFQ Page</a>
452.40	452.40 WIDERSTANDSAUSWERTER	<a href="#">Open Product RFQ Page</a>
452.46	452.46 RESISTANCE CONTROLLER	<a href="#">Open Product RFQ Page</a>
452.46,Kat.	452.46,Kat. 3 WIDERSTANDSAUSWERTER	<a href="#">Open Product RFQ Page</a>
452.48V	452.48V	<a href="#">Open Product RFQ Page</a>
53859	53859 oem	<a href="#">Open Product RFQ Page</a>

Part Number	Product Description	Live RFQ Link
91697	91697 Original Spare Part	<a href="#">Open Product RFQ Page</a>
ABSCHLUßKAPPE	ABSCHLUßKAPPE 130/2 (EPDM) mit Umlaufrand	<a href="#">Open Product RFQ Page</a>
ABSCHLUßSTECKE R	ABSCHLUßSTECKER 130/6 rot mit Wid.8k2	<a href="#">Open Product RFQ Page</a>
AND	AND CUPS FOR 3100.1610 Original Spare Part	<a href="#">Open Product RFQ Page</a>
Artikelcode:	Artikelcode: 3020.2450B SPIRALKABEL SK 450, H05BQ-F 2 x 0,75 mm <sup>2</sup>	<a href="#">Open Product RFQ Page</a>
Art.No.	Art.No. 3100 151.0 / DUOPROFIL 101610 SAFTETY SWITCH	<a href="#">Open Product RFQ Page</a>
B212.06,	B212.06, Ref:30.B2.1206	<a href="#">Open Product RFQ Page</a>
cable	cable 5m for 3100.0118 cable	<a href="#">Open Product RFQ Page</a>
COMPRESSION	COMPRESSION SENSOR KIT with the lengh 840mm trubber pad	<a href="#">Open Product RFQ Page</a>
E3049-219-018	E3049-219-018 SENSOR TAPE SWITCH	<a href="#">Open Product RFQ Page</a>
KABEL.	KABEL. 1 Endleiste a 3340 mm mit 8k2 Ohm + 350 mm Kabel AOS links	<a href="#">Open Product RFQ Page</a>
KONFEKTIONIERUN G.	KONFEKTIONIERUNG.	<a href="#">Open Product RFQ Page</a>
OBSOLETE	OBSOLETE 252.46Z REPLACEMENT 452.46 Relay	<a href="#">Open Product RFQ Page</a>
REF.	REF. 3002.6240Z2 230 V (-15% +10% ) 50 HZ ( 40-60 )	<a href="#">Open Product RFQ Page</a>
S3-2412S	S3-2412S electronic card for Gelbau 452.46 safety control unit	<a href="#">Open Product RFQ Page</a>
SKKL	SKKL 001.10 (001) BEAM DOUBLE-CONTACT	<a href="#">Open Product RFQ Page</a>
STECKER	STECKER 130/01, 1m Anschlußkabel STECKER 130/01, 1m Anschlußkabel	<a href="#">Open Product RFQ Page</a>

### Axiparts Offices

Germany Head Office: Lise-Meitner-Straße 13, 89081 Ulm, Germany

USA Office: 16225 Park Ten Pl #500, Houston, TX 77084, United States

Dubai Office: HDS Business Centre Tower, Cluster M, 33rd Floor, Jumeirah Lake Towers, Dubai, United Arab Emirates