

Serfilco Industrial Parts Catalog

Axiparts Global Industrial RFQ Platform

Email: info@axiparts.com

Website: <https://axiparts.com>

Premium RFQ catalog for Serfilco industrial spare parts, MRO components and replacement products. Every listed product is linked directly to its live RFQ product page.

Brand: Serfilco

Listed Products in This PDF: 69

Catalog URL: <https://axiparts.com/catalogs/brands/serfilco.pdf>

Part Number	Product Description	Live RFQ Link
01-4406	01-4406 BK MAGNETKREISELPUMPE (ohne Motor) Modell: P1 1/2 x 1 1/2-MKCK-6B Materialien: PVDF/Keramik/VITON Förderhöhe: 19 mWS (max.) Volumenstrom: 19,8	Open Product RFQ Page
01-7203-01	01-7203-01 Magnetkreiselpumpe ST3; Modell:ST 1/2 x 1/2-MPCK-3-CM0.08; Materialien:PP/Keramik/EPDM/Rulon;Förderhöhe:6,2mWS (max.); Volumenstrom 3m/h;M	Open Product RFQ Page
01-7205-10	01-7205-10 DRUCKSCHEIBE VORN / HINTEN (ST5/ST6)	Open Product RFQ Page
01-7206	01-7206 12 WELLE KERAMIK (ST6)	Open Product RFQ Page
01-7206-09-V	01-7206-09-V O-RING (ST6)	Open Product RFQ Page
01-7206-10	01-7206-10	Open Product RFQ Page
01-8968-PP	01-8968-PP Strainer	Open Product RFQ Page
05U20U	05U20U Filterkerze Material :PP,gewickelt;Kernmaterial:PP;Feinheit 5 mm;Abmessung:20"x2,5";Anzahl pro Karton:15 (Mindestmenge)	Open Product RFQ Page
10U20U	10U20U Filterkerze Material :PP,gewickelt;Kernmaterial:PP;Feinheit 10 mm;Abmessung:20"x2,5";Anzahl pro Karton:15 (Mindestmenge)	Open Product RFQ Page
11-04441	11-04441 Original Spare Part	Open Product RFQ Page
15U20U	15U20U Filterkerze Material :PP,gewickelt;Kernmaterial:PP;Feinheit 15 mm;Abmessung:20"x2,5";Anzahl pro Karton:15 (Mindestmenge)	Open Product RFQ Page
20U20U	20U20U Filterkerze Material :PP,gewickelt;Kernmaterial:PP;Feinheit 20 mm;Abmessung:20"x2,5";Anzahl pro Karton:15 (Mindestmenge)	Open Product RFQ Page
220-389V	220-389V vertical pump	Open Product RFQ Page
22-0545	22-0545 Original Spare Part	Open Product RFQ Page
22-0848	22-0848 Original Spare Part	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
33-1627A	33-1627A Original Spare Part	Open Product RFQ Page
39-1213	39-1213 GM-DPA-ST pump	Open Product RFQ Page
39-1213-GM-F1-T	39-1213-GM-F1-T EO1CL3-DM.5-DPA-F1-T A seal-less pump constructed of CPVC with bearing free-cantilevered sleeved shaft, EPDM O-rings and TFE vapor sea	Open Product RFQ Page
44-0852	44-0852 Series 'A MAG' Magnetic Coupled Pump	Open Product RFQ Page
44-2682	44-2682 Original Spare Part	Open Product RFQ Page
44-3181	44-3181 Original Spare Part	Open Product RFQ Page
44-3182-27	44-3182-27 Original Spare Part	Open Product RFQ Page
44-31872	44-31872 C Original Spare Part	Open Product RFQ Page
44-31971	44-31971 Original Spare Part	Open Product RFQ Page
44-3210	44-3210 Original Spare Part	Open Product RFQ Page
44-32334	44-32334 Original Spare Part	Open Product RFQ Page
44-4101	44-4101 C MAGNETGEKUPPELTE KREISELPUMPE (D)	Open Product RFQ Page
44-581-CM	44-581-CM POMPA GÖVDES■	Open Product RFQ Page
44-6706	44-6706 4 EPDM O-RING, Material : PVDF	Open Product RFQ Page
45-0145	45-0145 EH 1.5-4SC-D5.0	Open Product RFQ Page
47-1418	47-1418 TM HORIZONTALE KREISELPUMPE (H) Modell: 3 x 2 x 5½ CV(M8xM1)-DM7.5 Material: PVC-C, VITON doppelte Gleitringdichtung: VITON, Siliziumkarbid Fö	Open Product RFQ Page
47-5034-FM	47-5034-FM acid pump	Open Product RFQ Page
52-1000	52-1000 FASSPUMPE (ohne Motor) Modell: PP 8339 -1 Material: PP Rohrlänge: 1000 mm Volumenstrom: 12 m³/h (max.) Förderhöhe: 14 mWS (max.) Temperatur: 5	Open Product RFQ Page
52-8001	52-8001 (FASSPUMPENMOTOR ODP-S-240 offener, spritzwassergeschützter Motor mit angebaurem Drehzahlregler 230-240V/1/50-60/ 825 W)	Open Product RFQ Page
52-8001/ODP-S-240-IP44	52-8001/ODP-S-240-IP44 BARREL PUMP MODEL: 52-8001/ODP-S-240-IP44, 220-240 V/1/50-60 HZ, MAX: HEAD: 14M, 825 W, SE 86239	Open Product RFQ Page
52-9401	52-9401	Open Product RFQ Page
61	61 - 5151 K Original Spare Part	Open Product RFQ Page
71-0506-40	71-0506-40 Connection piece	Open Product RFQ Page
71-0603-23-2PK	71-0603-23-2PK Original Spare Part	Open Product RFQ Page
71-1000	71-1000 13	Open Product RFQ Page
71-1201-40	71-1201-40	Open Product RFQ Page
71-1403-59-2PK	71-1403-59-2PK Original Spare Part	Open Product RFQ Page
71-1938-82-4PK	71-1938-82-4PK	Open Product RFQ Page

Part Number	Product Description	Live RFQ Link
71-1942-11	71-1942-11	Open Product RFQ Page
71-3001-00	71-3001-00 Original Spare Part	Open Product RFQ Page
74-6000-00	74-6000-00 Original Spare Part	Open Product RFQ Page
74-7000-60	74-7000-60 Original Spare Part	Open Product RFQ Page
99-07441	99-07441 Original Spare Part	Open Product RFQ Page
C20P	C20P AKTIVKOHLEKERZE CARBO-FYNE Aktivkohlefilter Carbo-Fyne P Hochreines, vorgewaschenes Aktivkohlepulver mit einer Durchlässigkeit von 7µm. Abmessunge	Open Product RFQ Page
CJ18HE2DM2.0-CCS	CJ18HE2DM2.0-CCS Original Spare Part	Open Product RFQ Page
CJ18HE3DM2.0-CCS	CJ18HE3DM2.0-CCS Original Spare Part	Open Product RFQ Page
CS9ST6DM0.75-CCS	CS9ST6DM0.75-CCS Original Spare Part	Open Product RFQ Page
CU30P	CU30P carbon cartridges	Open Product RFQ Page
DIAPHRAM	DIAPHRAM Original Spare Part	Open Product RFQ Page
EH	EH 1 1/2-5SC-DM4.0-B-K-MPH 684440,01-30-13 PUMP	Open Product RFQ Page
EHLX1-1/2-SC-1D	EHLX1-1/2-SC-1D 1.5 /	Open Product RFQ Page
EO	EO SERIES EO1 MODEL Motor 0,55 KW, about 10 tons / h has a flow rate of	Open Product RFQ Page
G01R10ZC	G01R10ZC	Open Product RFQ Page
G01R20ZC	G01R20ZC (FILTERKERZE Material: Glasfaser, gewickelt Kern: PVDF Abmessungen: 20" x 2,5" Feinheit: 1 µm)	Open Product RFQ Page
G15R20ZC	G15R20ZC filter	Open Product RFQ Page
Item	Item No. :Steel and Stainless Steel Bag Filter Chamber Original Spare Part	Open Product RFQ Page
MODEL	MODEL P1-M2 X IMPCK-4A DM75 Pump	Open Product RFQ Page
P-39-1223	P-39-1223 HX pumper modle	Open Product RFQ Page
P-55-7623	P-55-7623 NEW VERSION SSTF 1 ½" Edelstahlgehäuse diaphragm pomp	Open Product RFQ Page
parts	parts for ST2X1-1/4-MPCK-8-DM3.0	Open Product RFQ Page
PCN	PCN 33-6081,Model S-E 16 Pre engineered system	Open Product RFQ Page
PPBL-1	PPBL-1 (55-7604) DRUCKLUFTMEMBRANPUMPE Modell: PPBL-1 Materialien: PP, EPDM Keine medienberührten Metallteile Antriebsdruck: 1,3barÜ (min.), 8,2barÜ (Open Product RFQ Page
PPN-1/2"	PPN-1/2" DOUBLE DIAPHRAGM PUMP PPN-1/2"	Open Product RFQ Page
TEFLON	TEFLON OVERLAY Membranauflage Teflon	Open Product RFQ Page

Axiparts Offices

Germany Head Office: Lise-Meitner-Straße 13, 89081 Ulm, Germany

USA Office: 16225 Park Ten PI #500, Houston, TX 77084, United States

Dubai Office: HDS Business Centre Tower, Cluster M, 33rd Floor, Jumeirah Lake Towers, Dubai, United Arab Emirates