

# STASTO Industrial Parts Catalog

## Axiparts Global Industrial RFQ Platform

Email: [info@axiparts.com](mailto:info@axiparts.com)

Website: <https://axiparts.com>

Premium RFQ catalog for STASTO industrial spare parts, MRO components and replacement products. Every listed product is linked directly to its live RFQ product page.

**Brand:** STASTO

**Listed Products in This PDF:** 104

**Catalog URL:** <https://axiparts.com/catalogs/brands/stasto.pdf>

Part Number	Product Description	Live RFQ Link
100.101-DN80-PN10	100.101-DN80-PN10 Schlauchmembranventil, handbetätigt DN80, PN10, Baulänge 310 mm nach DIN3202-K1 Betriebsdruck max. 5 bar, Farbe RAL5015 Schlauchwerk	<a href="#">Open Product RFQ Page</a>
1810-	1810- 2" Messingkugelhahn	<a href="#">Open Product RFQ Page</a>
1810-11/2"	1810-11/2" Messingkugelhahn	<a href="#">Open Product RFQ Page</a>
1810-11/4"	1810-11/4" Messingkugelhahn	<a href="#">Open Product RFQ Page</a>
1810-1/2"	1810-1/2" Messingkugelhahn	<a href="#">Open Product RFQ Page</a>
1810-2"	1810-2" (alte Type Nummer 1800-2") Messingkugelhahn	<a href="#">Open Product RFQ Page</a>
1810-3/4"	1810-3/4" (alte Type Nummer 1800-3/4") Messingkugelhahn	<a href="#">Open Product RFQ Page</a>
21A2KV30	21A2KV30 2/2-Wege-Magnetventil	<a href="#">Open Product RFQ Page</a>
21A3KV20	21A3KV20 Original Spare Part	<a href="#">Open Product RFQ Page</a>
21H7KB120	21H7KB120	<a href="#">Open Product RFQ Page</a>
21H8KB120	21H8KB120 solenoid valve	<a href="#">Open Product RFQ Page</a>
21HT4K0Y160-GDV	21HT4K0Y160-GDV 2/2-Wege-Magnetventil	<a href="#">Open Product RFQ Page</a>
21HT4KOY160GDH	21HT4KOY160GDH obsolete, replaced by 21HT4K0Y160-GDV Solenoid	<a href="#">Open Product RFQ Page</a>
21HT5K0V160-GDV	21HT5K0V160-GDV	<a href="#">Open Product RFQ Page</a>
21HT5K0Y160-GDV	21HT5K0Y160-GDV 2/2-Wege-Magnetventil	<a href="#">Open Product RFQ Page</a>
21HT6K0Y250-GDV	21HT6K0Y250-GDV Original Spare Part	<a href="#">Open Product RFQ Page</a>
21PW4K0T120BDA	21PW4K0T120BDA 0,5-18 BAR AC magnetic valve	<a href="#">Open Product RFQ Page</a>
21W3KB190	21W3KB190	<a href="#">Open Product RFQ Page</a>
21W4KB250	21W4KB250	<a href="#">Open Product RFQ Page</a>
21W4KB250MRBDA	21W4KB250MRBDA	<a href="#">Open Product RFQ Page</a>
21W6KB400	21W6KB400 2/2-Wege-Magnetventil	<a href="#">Open Product RFQ Page</a>
21W7KB500	21W7KB500 2/2-Wege-Magnetventil	<a href="#">Open Product RFQ Page</a>
21WA4KOB130	21WA4KOB130	<a href="#">Open Product RFQ Page</a>

Part Number	Product Description	Live RFQ Link
2203	2203 Kontaktmanometer, Rohrfederanometer, elektrischer Grenzsinalgeber (Magnetspringkontakt), Gehäuse Edelstahl 1.4301, Messglied, Zeigerwerk Kupfer	<a href="#">Open Product RFQ Page</a>
22.520.4	22.520.4 Verschleißteilsatz zu Druckregler 578.020 bis 578.030 Brutto/Einheit 20,40 Zolltarifnummer 84129080	<a href="#">Open Product RFQ Page</a>
2VS3-06-BS	2VS3-06-BS unidirectional flow control valve	<a href="#">Open Product RFQ Page</a>
316-11/2"	316-11/2" Axialrückschlagventil, Körper, Innenteile 1.4401, Dichtung PTFE, Druckbereich 0,1...16bar, Mediumtemperatur -30...130°C, G 11/2", Baulänge	<a href="#">Open Product RFQ Page</a>
31A3AV15	31A3AV15	<a href="#">Open Product RFQ Page</a>
3303.	3303. Kontaktmanometer, Rohrfederanometer, elektrischer Grenzsinalgeber (Magnetspringkontakt), Gehäuse Edelstahl 1.4301, Messglied, Zeigerwerk Kupfe	<a href="#">Open Product RFQ Page</a>
33A-DN65-PN160	33A-DN65-PN160 BALL VALVE DN65 PN160	<a href="#">Open Product RFQ Page</a>
578.020K	578.020K Filterdruckmind. mit Manometer,0,5-10bar Anschluss 1/4", DN 8 mm, Kunststoffbehälter Brutto/Einheit 62,00 Zolltarifnummer 84811005	<a href="#">Open Product RFQ Page</a>
60001031111	60001031111 switch	<a href="#">Open Product RFQ Page</a>
60001031211	60001031211	<a href="#">Open Product RFQ Page</a>
6-14123-0000-S.	6-14123-0000-S. Gerätesteckdose, Standard, Steckerbreite 16mm, Spannung 0-230VAC/DC Gewicht/Stk: 0,011 kg	<a href="#">Open Product RFQ Page</a>
640/2	640/2 Kunststoffbehälter mit Handablassventil für Filter, Filterdruckminderer und Wartungseinh., DN 6 mm Brutto/Einheit 15,10 Zolltarifnummer 84129080	<a href="#">Open Product RFQ Page</a>
6-41142-2000-S	6-41142-2000-S	<a href="#">Open Product RFQ Page</a>
6-41442-2528-S	6-41442-2528-S Gerätesteckdose	<a href="#">Open Product RFQ Page</a>
6-42143-2000-S	6-42143-2000-S Original Spare Part	<a href="#">Open Product RFQ Page</a>
650C/K	650C/K DN-15 obsolete, replaced by FI04-12H	<a href="#">Open Product RFQ Page</a>
6-51022-9002	6-51022-9002 Gerätesteckdose, Schutzart: IP65 230VAC/DC, 32 mm, PVC-Kabel 2 m	<a href="#">Open Product RFQ Page</a>
760K	760K DN15 obsolete, replaced LU04-12H	<a href="#">Open Product RFQ Page</a>
850C	850C Original Spare Part	<a href="#">Open Product RFQ Page</a>
8DA08024CS	8DA08024CS Original Spare Part	<a href="#">Open Product RFQ Page</a>
90166	90166 Druckschalter, Wechselkontakt, Membrane NBR, Einstellskala, 250VAC/6A, 24VDC/2A, Außengewinde 1/4", Anwendung: Luft Wasser, neutrale Öle, Schutz	<a href="#">Open Product RFQ Page</a>
901.78	901.78 Vakuumschalter	<a href="#">Open Product RFQ Page</a>
ABS58	ABS58 Aufgebautes Steuerventil	<a href="#">Open Product RFQ Page</a>
AFR-100-C25-NR	AFR-100-C25-NR filter	<a href="#">Open Product RFQ Page</a>
BAB1-002-BLTV-D0	BAB1-002-BLTV-D0 ball valve with pneumatic actuator	<a href="#">Open Product RFQ Page</a>

Part Number	Product Description	Live RFQ Link
BAB1-002-BLTV-D0B	BAB1-002-BLTV-D0B ball valve with pneumatic actuator BAB1-002-BLTV-D	<a href="#">Open Product RFQ Page</a>
BAB1-008-BLTV-D0	BAB1-008-BLTV-D0 valve	<a href="#">Open Product RFQ Page</a>
BAC1-004-SSTV-D0 B	BAC1-004-SSTV-D0B ball valves made of stainless steel with pneumatic actuator	<a href="#">Open Product RFQ Page</a>
BAC1-009-SSTV-D0	BAC1-009-SSTV-D0 Kugelhahn mit Druckluftdrehantrieb	<a href="#">Open Product RFQ Page</a>
BDA	BDA 08024DS Magnetspule	<a href="#">Open Product RFQ Page</a>
BDA08024C	BDA08024C S Magnetspule	<a href="#">Open Product RFQ Page</a>
BDA08024CS	BDA08024CS	<a href="#">Open Product RFQ Page</a>
BDA08110CS	BDA08110CS	<a href="#">Open Product RFQ Page</a>
BDA08223	BDA08223 DS Magnetspule	<a href="#">Open Product RFQ Page</a>
BDA08223DS	BDA08223DS Magnetspule	<a href="#">Open Product RFQ Page</a>
BDA08223DV	BDA08223DV old reference, new reference BDA08223DS solenoid	<a href="#">Open Product RFQ Page</a>
BDA08230CS	BDA08230CS Magnetspule	<a href="#">Open Product RFQ Page</a>
BDP08223DS	BDP08223DS	<a href="#">Open Product RFQ Page</a>
BDV08024DY	BDV08024DY Magnetspule	<a href="#">Open Product RFQ Page</a>
BDV08110AY	BDV08110AY (Magnetspule Typ BDV, für feuchte Umgebung, Steckerbreite 32mm, Spannung 110V/50Hz)	<a href="#">Open Product RFQ Page</a>
BDV08230AY	BDV08230AY	<a href="#">Open Product RFQ Page</a>
CMI-10N50	CMI-10N50 cylinder	<a href="#">Open Product RFQ Page</a>
CS02400	CS02400	<a href="#">Open Product RFQ Page</a>
CS11050	CS11050 Magnetspule Typ CS, Steckerbreite 16mm, Spannung 110V/50-60Hz	<a href="#">Open Product RFQ Page</a>
DP-RE07-34H-112	DP-RE07-34H-112 (Membrane zu Druckregler RE07-34H-112)	<a href="#">Open Product RFQ Page</a>
FI04-12H	FI04-12H	<a href="#">Open Product RFQ Page</a>
G	G 1/2" BALL VALVE FOR FILTER DEFLATION	<a href="#">Open Product RFQ Page</a>
GDV14024CY	GDV14024CY Magnetspule	<a href="#">Open Product RFQ Page</a>
HDS-1-320-K-7-1	HDS-1-320-K-7-1 Druckschalter, Außengewinde 1/4" Einstellbereich 30 bis 320 bar, Kolben NBR mit Gerätesteckdose	<a href="#">Open Product RFQ Page</a>
K52W1014	K52W1014 5/2-Wegeventil, vorgesteuert, Druckbereich 2,5...9bar, Betätigung elektrisch/Feder, Spulentyp CS, Steckerbreite 16mm, Anschluss 1/4", Nennwei	<a href="#">Open Product RFQ Page</a>
K52W1018	K52W1018	<a href="#">Open Product RFQ Page</a>
KIT-NWT-63	KIT-NWT-63	<a href="#">Open Product RFQ Page</a>
KTG0W5KB35	KTG0W5KB35 Dichtsatz	<a href="#">Open Product RFQ Page</a>

Part Number	Product Description	Live RFQ Link
KTGHT4K0Y16	KTGHT4K0Y16 rebuild kit	<a href="#">Open Product RFQ Page</a>
LU04-12H	LU04-12H	<a href="#">Open Product RFQ Page</a>
MA22U-24VDC	MA22U-24VDC Magnetspule	<a href="#">Open Product RFQ Page</a>
membrane	membrane for 737.704/S - (old Type Nummer 737.704/S)	<a href="#">Open Product RFQ Page</a>
MS02400	MS02400	<a href="#">Open Product RFQ Page</a>
NS320	NS320 NOSR 0-10 BAR 220/50HZ NORMALLY OPEN VALVE COIL	<a href="#">Open Product RFQ Page</a>
PAS1605	PAS1605 Druckluftdrehantrieb	<a href="#">Open Product RFQ Page</a>
PDS-1-016-M-2-1.	PDS-1-016-M-2-1. Druckschalter, Wechselkontakt, Membrane NBR, 250VAC/4A, 28VDC/3A, Innengewinde 1/4", Anwendung: Luft, Wasser, Hydrauliköl, Schutzart	<a href="#">Open Product RFQ Page</a>
R450	R450 466/B diaphragm for the brass water solenoid valve Type 21W6KB400 it is 1.1/2 BSP	<a href="#">Open Product RFQ Page</a>
R450466/B	R450466/B Membrane	<a href="#">Open Product RFQ Page</a>
R450606	R450606 Führungsrohr	<a href="#">Open Product RFQ Page</a>
R450886/B	R450886/B Magnetkern	<a href="#">Open Product RFQ Page</a>
R450916/B	R450916/B Original Spare Part	<a href="#">Open Product RFQ Page</a>
RE07-10H-0,5/16-MG	RE07-10H-0,5/16-MG	<a href="#">Open Product RFQ Page</a>
RPE3-062H51/02400 E1T1	RPE3-062H51/02400E1T1 (4/2-Wegeventil, NG06, n. P-A-B-T offen -80l/min, magnetbetätigt, 24VDC, federzentriert mit Schaltzeitverzögerung)	<a href="#">Open Product RFQ Page</a>
SE02-12-RN51	SE02-12-RN51	<a href="#">Open Product RFQ Page</a>
SL078-10-01	SL078-10-01 electrovalves	<a href="#">Open Product RFQ Page</a>
SLH-M10-CP	SLH-M10-CP	<a href="#">Open Product RFQ Page</a>
SLN-M12-PP	SLN-M12-PP Schalldämpfer	<a href="#">Open Product RFQ Page</a>
SV01-12-11	SV01-12-11	<a href="#">Open Product RFQ Page</a>
SV06-10-16-9-V	SV06-10-16-9-V Sicherheitsventil mit Bauteilzulassung Körper 1.4571, Haube 1.4581, Kegeldichtung FPM restliche Dichtungen FPM, Baugröße II, d0=16mm Ei	<a href="#">Open Product RFQ Page</a>
SV06-34-12,5-10-V	SV06-34-12,5-10-V Sicherheitsventil mit Bauteilzulassung Körper 1.4571, Haube 1.4581, Kegeldichtung FPM restliche Dichtungen FPM, Baugröße I, d0=12,5	<a href="#">Open Product RFQ Page</a>
SV06-34-12,5-9-V	SV06-34-12,5-9-V Sicherheitsventil mit Bauteilzulassung Körper 1.4571, Haube 1.4581, Kegeldichtung FPM restliche Dichtungen FPM, Baugröße I, d0=12,5 m	<a href="#">Open Product RFQ Page</a>
V45K2-16	V45K2-16 obsolete/replacement NM52W1S-PR	<a href="#">Open Product RFQ Page</a>
VB060-L	VB060-L Elektroantrieb	<a href="#">Open Product RFQ Page</a>
VNCR2	VNCR2	<a href="#">Open Product RFQ Page</a>
VRU38	VRU38 Drosselrückschlagventil	<a href="#">Open Product RFQ Page</a>

Part Number	Product Description	Live RFQ Link
WP-RE07-34H/10H	WP-RE07-34H/10H Wear part set to pressure regulator	<a href="#">Open Product RFQ Page</a>

**Axiparts Offices**

Germany Head Office: Lise-Meitner-Straße 13, 89081 Ulm, Germany

USA Office: 16225 Park Ten Pl #500, Houston, TX 77084, United States

Dubai Office: HDS Business Centre Tower, Cluster M, 33rd Floor, Jumeirah Lake Towers, Dubai, United Arab Emirates